

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**1: Identification**

- **1.1 Product identifier**
- **Trade name: Cleaner DR-62**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Sherwin Incorporated  
5530 Borwick Ave  
South Gate, CA 90280  
Phone: (562) 861-6324  
Fax: (562) 923-8370  
<https://www.sherwininc.com/>
- **Information department:** Product safety department
- **1.4 Emergency telephone number:**  
Chemtrec +1-800-424-9300 in U.S.A.; outside U.S.A. 001-703-527-3887  
Chemtrec contract number 20103

**2: Hazard(s) identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 2 H225 Highly flammable liquid and vapor.  
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.
- **2.2 Label elements**
- **Labeling according to Regulation (EC) No 1272/2008**  
The product is classified and labeled according to the CLP regulation.
- **Hazard pictograms**  
  
GHS02 GHS07 GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Isoparaffin (1)  
acetone
- **Hazard statements**  
H225 Highly flammable liquid and vapor.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P301+P310 If swallowed: Immediately call a doctor.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 3  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**

HEALTH	2
FIRE	3
REACTIVITY	0

Health = 2  
Fire = 3  
Reactivity = 0

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

• **Dangerous components:**

CAS: 67-64-1 EINECS: 200-662-2	acetone	50-100%
CAS: 90622-56-3 EC number: 921-728-3	Isoparaffin (1)	25-50%
540-84-1	2,2,4-trimethyl pentane	50-90%

• **Most important ingredients**

CAS: 67-64-1 EINECS: 200-662-2	acetone	50-100%
CAS: 90622-56-3 EC number: 921-728-3	Isoparaffin (1)	25-50%

### 4: First-aid measures

- **4.1 Description of first aid measures**
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.  
In case of unconsciousness place patient stably in side position for transportation.  
Take affected persons into fresh air and keep quiet.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 2)

- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
A person vomiting while lying on their back should be turned onto their side.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5: Fire-fighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Water haze  
Foam  
ABC powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Carbon monoxide and carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

**6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Collect liquid in an appropriate container or absorb with an inert material such as vermiculite, dry sand, or earth;  
DO NOT use combustible materials.  
Place in a chemical waste container.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Containers may be hazardous when empty since residue liquid and vapors may be present

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

**8: Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**

• **Components with limit values that require monitoring at the workplace:**

2,2,4 -TRIMETHYLPENTANE	OSHA Z1 TWA 2350 mg/m <sup>3</sup> , 500 ppm ACGIH TWA 300 ppm
Isoparaffin (1)	EXXON RCP-TWA 1450 mg/m <sup>3</sup> , 300 ppm
acetone	OSHA TWA Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm NIOSH TWA Long-term value: 590 mg/m <sup>3</sup> , 250 ppm ACGIH TWA 500 ppm STEL 750ppm

• **Ingredients with biological limit values:**

**67-64-1 acetone**

BEI 50 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Acetone (nonspecific)

- **Additional information:** The lists that were valid during the creation were used as basis.

• **8.2 Exposure controls**

• **Personal protective equipment:**

- **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

• **Breathing equipment:**



Ventilation System: A system of local or general exhaust is recommended to keep employee exposure below the airborne exposure limits. If exposure limit is exceeded use organic vapor respirator (type A), or self contained breathing apparatus. For dry powder nuisance exposure use type P96(US) or type Pi(EU EN143 particle respirator. For higher level protection use type OV/AG/P99(US or ABEK-P2(EU EN 143) respirator cartridges.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 4)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye protection:**



Safety glasses

Tightly sealed goggles

• **Body protection:**

Protective work clothing

Use protective suit.

**9: Physical and chemical properties**

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
• <b>Odor:</b>	Characteristic
• <b>Odour threshold:</b>	Not determined.

• **pH-value:** Not determined.

• **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	55 °C (131 °F)
<b>Flash point:</b>	-19 °C (-2 °F) (ASTM D-93)

• **Flammability (solid, gaseous):** Not applicable.

• **Ignition temperature:** 465 °C (869 °F)

• **Decomposition temperature:** Not determined.

• **Auto igniting:** Product is not selfigniting.

• **Danger of explosion:** Not determined.

• **Explosion limits:**

<b>Lower:</b>	0.8 Vol %
<b>Upper:</b>	13.0 Vol %

• **Vapor pressure at 20 °C (68 °F):** 233 hPa (175 mm Hg)

• **Density at 20 °C (68 °F):** 0.754 g/cm<sup>3</sup> (6.292 lbs/gal) (ASTM D-1298)

• **Relative density** Not determined.

• **Vapour density** Not determined.

• **Evaporation rate** Not determined.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 5)

- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 100.0 %
  - VOC content:** 30.0 %
  - 681.5 g/l / 5.69 lb/gl
- **9.2 Other information** No further relevant information available.

**10: Stability and reactivity**

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Avoid contact with acetaldehyde, acids, chlorine, ethylene oxide, isocyanate and strong oxidizing agents
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Information on hazardous ingredients

• **LD/LC50 values that are relevant for classification:**

**67-64-1 acetone**

Dermal	LD50	>2000 mg/kg (rabbit)
Inhalative	LC50/4h	>21 mg/kg (rat)
Oral	LD50	>5000 mg/kg (rat)

**67-64-1 acetone**

Dermal	LD50	20000 mg/kg (rabbit)
Inhalative	LC50/4h	0,29 >20 mg/kg (rat)
Oral	LD50	5340 mg/kg (rat)

- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
  - Group 4 Probably not carcinogenic to humans

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 6)

• **NTP (National Toxicology Program)**

None of the ingredients is listed.

• **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12: Ecological information**

• **12.1 Toxicity**

• **Aquatic toxicity:**

Information on hazardous ingredients

**67-64-1 acetone**

EC50/ 48 h >1000 mg/l (daphnia)

IC50 /72 h >1000 mg/l (Algae)

LC50/ 96 h >1000 mg/l (Fish)

• **12.2 Persistence and degradability** No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

• **Ecotoxicological effects:**

• **Remark:** Toxic for fish

• **Additional ecological information:**

• **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

• **12.5 Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

**13: Disposal considerations**

• **13.1 Waste treatment methods**

• **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

• **Uncleaned packagings:**

• **Recommendation:**

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

Empty containers may contain flammable residue and vapors.

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 7)

**14: Transport information**

<ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	<p>UN1993</p>
<ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	<p>Flammable liquids, n.o.s. (Acetone, Octanes) 1993 Flammable liquids, n.o.s. (Acetone, Octanes), ENVIRONMENTALLY HAZARDOUS FLAMMABLE LIQUID, N.O.S. (ACETONE, OCTANES), MARINE POLLUTANT FLAMMABLE LIQUID, N.O.S. (ACETONE, OCTANES)</p>
<ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>	<p></p> <p>· <b>Class</b> 3 Flammable liquids · <b>Label</b> 3</p>
<ul style="list-style-type: none"> <li>· <b>ADR, IMDG</b></li> </ul>	<p></p> <p>· <b>Class</b> 3 Flammable liquids · <b>Label</b> 3</p>
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	<p></p> <p>· <b>Class</b> 3 Flammable liquids · <b>Label</b> 3</p>
<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>	<p>II</p>
<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> </ul>	<p>Product contains environmentally hazardous substances: Isoparaffin (1) Yes Symbol (fish and tree) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> <li>· <b>EMS Number:</b></li> </ul>	<p>Warning: Flammable liquids 33 F-E,<u>S</u>-E</p>
<ul style="list-style-type: none"> <li>· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<p>Not applicable.</p>

(Contd. on page 9)

**Trade name: Cleaner DR-62**

(Contd. of page 8)

- **Transport/Additional information:**
- **DOT**
- **Quantity limitations**



On passenger aircraft/rail: 5 L



On cargo aircraft only: 60 L

- **ADR**
- **Excepted quantities (EQ)**

Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

- **IMDG**
- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

1L  
Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

- **IATA**
- **Remarks:**

Quantity Limitation - Passenger Aircraft  
5 L  
Quantity Limitation - Cargo Aircraft  
60 L  
Quantity Limitation - Limited quantities  
1 L  
Packaging Instruction:  
Passenger Aircraft - PI 353  
Cargo aircraft - PI 364  
Limited quantities - PI Y341

- **UN "Model Regulation":**

UN1993, Flammable liquids, n.o.s. (Acetone, Octanes), ENVIRONMENTALLY HAZARDOUS, 3, II

## 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

67-64-1 | acetone

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 05/28/2015

Reviewed on 05/28/2015

**Trade name: Cleaner DR-62**

(Contd. of page 9)

• **Proposition 65**

• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Contact:** Sherwin Incorporated

• **Date of preparation / last revision** 05/28/2015 / -

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

• **\* Data compared to the previous version altered.**