

# SAFETY DATA SHEET

## 1. Identification

Product identifier SIR-CHEM® DRY POWDER 63 RED

Other means of identification Not available.

**Recommended use**Non-destructive testing.

**Recommended restrictions** None known.

Manufacturer / Importer / Supplier / Distributor information

Company name

Address

Circle Systems, Inc.

479 West Lincoln Ave.
P.O. Boy 1228

P.O Box 1228 Hinckley, IL 60520

**Telephone** 815-286-3271

E-mail customerservice@circlesafe.com

Emergency phone number Chem-Tel 800-255-3924 (US & Canada); +1-813-248-0585 (International)

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Combustible dust.

Label elements

Hazard symbol None.

Signal word Warning.

Hazard statement May form combustible dust concentrations in air.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Prevent dust accumulation to minimize

explosion hazard.

Response Remove and wash contaminated clothing before re-use. In case of fire: Use appropriate media

for extinction.

Storage Store away from incompatible materials.

Disposal Dispose of contents/containers in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

**Supplemental information** Not applicable.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Iron Powder	7439-89-6	> 95
Pigment Red	5160-02-1	< 3

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

915823 Version #: 03 Revision date: 15-December-2017 Issue date: 29-October-2013

Most important symptoms/effects, acute and

delayed Indication of immediate

medical attention and special treatment needed

Dust may cause eye, skin and respiratory tract irritation.

Provide general supportive measures and treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media

carefully to avoid creating airborne dust.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

General fire hazards

Heat may cause the containers to explode. May form combustible dust concentrations in air.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Use only non-sparking tools. Wear appropriate personal protective equipment. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Large Spills: Sweep or shovel up material and place in a clearly labeled container for waste. Following product recovery, flush area with water.

Small Spills: Collect dust using a vacuum cleaner equipped with HEPA filter.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Explosion proof exhaust ventilation is recommended. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid prolonged exposure.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from heat, sparks and open flame.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Pigment red (CAS 5160-02-1)	PEL	0.5mg/m3

915823 Version #: 03 Revision date: 15-December-2017 Issue date: 29-October-2013

2/6

#### US ACGIH Threshold Limit Values

Value Components **Type** Pigment red (CAS 5160-02-1) TWA 0.5mg/m3 US NIOSH Pocket Guide to Chemical Hazards: Recommended exposure limit (REL) Components Value Pigment red (CAS 5160-02-1) TWA 0.5mg/m3 US Workplace Environmental Exposure Level (WEEL) Guides Components Value Type Pigment red (CAS 5160-02-1) TWA 1mg/m3

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** No exposure standards allocated.

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Wear suitable protective clothing. Other

Solid.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such

considerations as washing after handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state

Powder. **Form** Color Red. Odor Odorless Odor threshold Not available. pН Not available. Melting point/freezing point 2795 °F (1535 °C) Initial boiling point and boiling Not available. range Not relevant. Flash point **Evaporation rate** Not relevant. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not relevant. (%) Flammability limit - upper Not relevant. Explosive limit - lower (%) Not available. Not available. Explosive limit – upper (%)

SIR-CHEM® DRY POWDER 63 RED

Vapor pressure

Vapor density

Not relevant.

Not relevant.

Specific gravity 2.5 (68 °F (20 °C)) Solubility(ies) Insoluble in water.

**Partition coefficient** (n-octanol/water)

Not relevant.

**Auto-ignition temperature** Not relevant **Decomposition temperature** Not available. Not relevant. Viscosity

Other information

VOC (Weight %) Not applicable.

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, sparks and open flame. Minimize dust generation and accumulation.

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation Inhalation of dusts may cause respiratory irritation.

Skin contact Dust or powder may irritate the skin.

Eve contact Dust may irritate the eyes.

Symptoms related to the physical, chemical and

Dust may cause eye, skin and respiratory tract irritation.

toxicological characteristics Information on toxicological effects

**Acute toxicity** Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

**Test Results** Components **Species** 

Iron Powder (CAS 7439-89-6)

Acute Oral

> LD50 Rat

30 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Pigment Red (CAS 5160-02-1) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

Not classified. Not classified.

repeated exposure

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

SIR-CHEM® DRY POWDER 63 RED SDS US

### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Mobility in soil Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Waste from residues / unused

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

> Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

14. Transport information

DOT

products

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

Not available.

## 15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not regulated.

US OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard Categories** Immediate Hazard - No

> Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

Not listed.

hazardous substance

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

**Chemical name CAS** number % by wt. Pigment red 5160-02-1 < 3

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Pigment red (CAS 5160-02-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

915823 Version #: 03 Revision date: 15-December-2017 Issue date: 29-October-2013

#### **US** state regulations

**US Massachusetts RTK - Substance List** 

Not regulated.

**US New Jersey Worker and Community Right-to-Know Act** 

**Pigment red (CAS 5160-02-1)** 500 lbs

**US Pennsylvania RTK - Hazardous Substances** 

Not regulated.

**US Rhode Island RTK** 

Not regulated.

**US California Proposition 65** 

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Pigment red (CAS 5160-02-1)

#### **International Inventories**

Country(s) or region	inventory name	On inventory (yes/no) <sup>^</sup>
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Issue date29-October-2013Revision date15-December-2017

Version # 03

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

**HMIS**® **ratings** Health: 1

Flammability: 1 Physical hazard: 0

NFPA Ratings



**List of abbreviations** LD50: Lethal Dose, 50%

PEL: Permissible exposure limit TWA: Time weighted average

References HSDB® - Hazardous Substances Data Bank

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

SIR-CHEM® DRY POWDER 63 RED SDS US

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).